# United States Department of the Interior Geological Survey

GEOLOGICAL BIBLIOGRAPHY

OF THE

SITKA QUADRANGLE, SOUTHEASTERN ALASKA

By Closey F. Dickey and Susan M. Karl $^{1}$ 

Open-File Report 88-645

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards. Any use of trade names is for descriptive purposes only and does not imply endorsement by the USGS.

<sup>&</sup>lt;sup>1</sup>Anchorage, AK

## Geological Bibliography of the Sitka Quadrangle,

### Introduction

This bibliography was assembled in preparation for an Alaska Mineral Resource Assessment Program study of the Sitka quadrangle by the U.S. Geological Survey. It consists of 366 references related to the geology of the Sitka quadrangle, including selected references on the regional geology of southeastern Alaska.

The Sitka 1:250,000 scale quadrangle encompasses major portions of Admiralty and Chichagof Islands, and the northern half of Baranof Island, three of the larger islands in southeastern Alaska. The town of Sitka is located in the south-central part of the quadrangle on the west coast of Baranof Island (Figure 1).

Publications on the geology of the region date back to the late 1800's when explorers took an interest in the islands for their mineral resources. A wide variety of geological literature has been published since then. Each reference has been assigned a subject code in the left margin for quick indexing of topics of interest; the codes also indicate whether the reference is area-specific or regional in scope (Table 1).

Sources of information for this bibliography include published bibliographies and the reference files of the late Edward H. Cobb (U.S. Geological Survey, Menlo Park, CA). The references cited consist of state and federal publications, articles and abstracts from scientific journals and symposia, and some unpublished theses and dissertations. Some lesser-known publications may have been overlooked. Articles published after September 1, 1988 do not appear in this bibliography.

## Acknowledgements

The comprehensive bibliographies of Edward H. Cobb of the U.S. Geological Survey were of immeasurable help in putting together this bibliography.




Figure 1. Location of the Sitka quadrangle, Alaska.

#### Table 1

## Explanation of Subject Coding

## Subject Key

- A Areal Geology
- E Economic Geology
- G Geophysics
- H Engineering Geology and Geologic Hazards
- I Igneous Geology
- M Metamorphic Geology
- P Aerial Photography
- Q Quaternary Geology
- S Stratigraphy
- T Structure and Tectonics
- W Water Resources and
  - Hydrogeology
- Z Geothermal Resources
- r reference provides a regional perspective
- $\boldsymbol{x}$  reference pertains specifically to the Sitka quadrangle
- d reference contains isotopic or fossil age
- n reference names or redefines a rock unit

#### Examples

- (T,r) Reference concerns regional tectonics (i.e. tectonics of southeastern Alaska)
- (S,n) Reference names a stratigraphic unit
- (S,T,x) Reference discusses stratigraphy and structure of an area within the Sitka quadrangle

- (E) Alaska Department of Mines, 1946, Report of the Commissioner of Mines for the biennium ended December 31, 1946: Alaska Department of Mines, 50 p.
- (E) Alaska Department of Mines, 1948, Report of the Commissioner of Mines for the biennium ended December 31, 1948: Alaska Department of Mines, 50 p.
- (E) Alaska Department of Mines, 1950, Report of the Commissioner of Mines for the biennium ended December 31, 1950: Alaska Department of Mines, 57 p.
- (E) Alaska Department of Mines, 1952, Report of the Commissioner of Mines for the biennium ended December 31, 1952: Alaska Department of Mines, 66 p.
- (E) Alaska Department of Mines, 1955, Report of the Commissioner of Mines for the biennium ended December 31, 1954: Alaska Department of Mines, 110 p.
- (E) Alaska Department of Mines, 1958, Report of the Commissioner of Mines for the biennium ended December 31, 1958: Alaska Department of Mines, 83 p.
- (E) Alaska Division of Geological and Geophysical Surveys, 1974, Annual Report 1973: Alaska Division of Geological and Geophysical Surveys, 59 p.
- (E) Alaska Division of Geological and Geophysical Surveys, 1976, Biennial report, 1974-1975: Alaska Division of Geological and Geophysical Surveys, 53 p.
- (E) Alaska Division of Geological Survey, 1970, Report for the year 1970: Alaska Division of Geological Survey, 86 p.
- (E) Alaska Division of Mines and Geology, 1968, Report for the year 1968: Alaska Division of Mines and Geology, 67 p.
- (E) Alaska Division of Mines and Minerals, 1959, Report of the Division of Mines and Minerals for the year 1959: Alaska Division of Mines and Minerals, 80 p.
- (E) Alaska Division of Mines and Minerals, 1960, Report for the year 1960: Alaska Division of Mines and Minerals, 88 p.
- (S) Armstrong, A. K., 1975, Carboniferous corals of Alaska, a preliminary report: U.S. Geological Survey Professional Paper 823-C, p. C45-C57.
- (E) Bain, H. F., 1946, Alaska's minerals as a basis for industry: U.S. Bureau of Mines Information Circular 7379, 89 p.

- (G) Barnes, D. F., 1972, Summary operational report of a preliminary gravity survey of southeastern Alaska: U.S. Geological Survey open-file report [72-19], 12 p.
- (G) Barnes, D. F., 1972, Sixteen 1:250,000 simple Bouguer gravity anomaly maps of southeastern Alaska showing station locations, anomaly values and generalized 10-milligal contours: U.S. Geological Survey open-file report [72-17], scale 1:250,000, 16 sheets.
- (G) Barnes, D. F., 1972, Southeast Alaska gravity station network: U.S. Geological Survey open-file report [72-18], 40 p.
- (G) Barnes, D. F., Erwin, M. J., Holden, K. D., and Morin, R. L., 1975, USGS Alaskan gravity data maps of the Port Alexander, Sitka, Juneau, Mt. Fairweather, and Skagway 1:250,000 quadrangles, Alaska: U.S. Geological Survey Open-File Report 75-6, scale 1:250,000, 5 sheets, 45 p.
- (G) Barnes, D. F., Olson, R. C., Holden, K. D., Morin, R. L., and Erwin, M. J., 1972, Tabulated gravity data from southeastern Alaska obtained during the 1968 field season: U.S. Geological Survey open-file report [72-20], 76 p.
- (G) Barnes, D. F., Popenoe, Peter, Olson, R. C., MacKenzie, M. V., and Morin, R. L., 1972, Tabulated gravity data from southeastern Alaska obtained during the 1969 field season: U.S. Geological Survey open-file report [72-21], 75 p.
- (E) Barnes, F. F., 1967, Coal resources of Alaska: U.S. Geological Survey Bulletin 1242-B, 36 p.
- (E) Becker, G. F., 1898, Reconnaissance of the gold fields of southern Alaska, with some notes on general geology: U.S. Geological Survey 18th Annual Report, part 3, p. 1-86.
- (A,r) Beikman, H. M., 1975, Preliminary geologic map of southeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-673, scale 1:1,000,000, 2 sheets.
- (E) Berg, H. C., 1960, Three areas of possible mineral resource potential in southeastern Alaska, <u>in</u> Geological Survey research 1960, short papers in the geological sciences: U.S. Geological Survey Professional Paper 400-B, p. B38-B39.
- (E) Berg, H. C., 1964, Reconnaissance geochemistry of stream sediments from three areas near Juneau, Alaska: U.S. Geological Survey open-file report [64-13], 6 p.
- (A,E,r) Berg, H. C., 1984, Regional geologic summary, metallogenesis, and mineral resources of southeastern Alaska: U.S. Geological Survey Open-File Report 84-572, scale 1:600,000, 299 p.

- (E) Berg, H. C., and Cobb, E. H., 1967, Metalliferous lode deposits of Alaska: U.S. Geological Survey Bulletin 1246, 254 p.
- (E) Berg, H. C., Decker, John, and Abramson, B. S., 1981, Metallic mineral deposits of southeastern Alaska: U.S. Geological Survey Open-File Report 81-122, scale 1:1,000,000, 145 p.
- (S,T,n,x) Berg, H. C., and Hinckley, D. W., 1963, Reconnaissance geology of northern Baranof Island, Alaska: U.S. Geological Survey Bulletin 1141-0, 24 p.
- (T,r) Berg, H. C., Jones, D. L., and Coney, P. J., 1978, Map showing pre-Cenozoic tectono-stratigraphic terranes of southeastern Alaska and adjacent areas: U.S. Geological Survey Open-File Report 78-1085, scale 1:1,000,000, 2 sheets.
- (T,r) Berg, H. C., Jones, D. L., and Richter, D. H., 1972,
  Gravina-Nutzotin belt--Tectonic significance of an upper
  Mesozoic sedimentary and volcanic sequence in southern and
  southeastern Alaska, in Geological Survey research 1972,
  Chapter D: U.S. Geological Survey Professional Paper 800-D,
  p. D1-D24.
- (Z) Berry, G. W., Grim, P. J., and Ikelman, J. A., 1980, Thermal springs list for the United States: National Oceanic and Atmospheric Administration Key to Geophysical Records Documentation No. 12, 59 p.
- (W) Berwick, V. K., Childer, J. M., and Keuntzel, M. A., 1964,
  Magnitude and frequency of floods in Alaska south of the
  Yukon River: U.S. Geological Survey Circular 493, 15 p.
- (Z) Bliss, J. D., 1983, Alaska--Basic data for thermal springs and wells as recorded in GEOTHERM: U.S. Geological Survey Open-File Report 83-426, 114 p.
- (E) Bilbery, J. H., Jr., 1962, Cobalt, a materials survey: U.S. Bureau of Mines Information Circular 8103, 140 p.
- (H,x) Bradford, D. C., 1935, On a study of microseisms recorded at Sitka, Alaska, during the period from January 1, 1929, to December 31, 1931, inclusive: Bulletin of the Seismological Society of America, v. 25, no. 4, p. 323-342.
- (I,T,r) Brew, D. A., 1968, The role of volcanism in post-Carboniferous tectonics of southeastern Alaska and nearby regions, North America: International Geological Congress, 23rd, Prague, Czechoslovakia, 1968, Proceedings, section 2, p. 107-121.

- (I,r) Brew, D. A., 1988, Latest Mesozoic and Cenozoic magmatism in southeastern Alaska--A synopsis: U.S. Geological Survey Open-File Report 88-405, 29 p.
- (I,r) Brew, D. A., 198\_, Latest Mesozoic and Cenozoic magmatism in southeastern Alaska, in Plafker, George, Jones, D. L., and Berg, H. C., eds., Geology of Alaska: Boulder, Colorado, Geological Society of America, The Geology of North America, v. \_\_\_, p. \_\_\_ (in press; currently available as U.S. Geological Survey Open-File Report 88-405).
- (T) Brew, D. A., and Ford, A. B., 1985, Southeastern Alaska coincident zone, in Bartsch-Winkler, Susan, ed., The United States Geological Survey in Alaska: Accomplishments during 1984: U.S. Geological Survey Circular 967, p. 82-86.
- (S,T,d) Brew, D. A., Karl, S. M., and Miller, J. W., 1988, Megafossils (Buchia) indicate Late Jurassic age for part of Kelp Bay Group on Baranof Island, southeastern Alaska, in Galloway, J. P., and Hamilton, T. D., eds., Geologic studies in Alaska by the U.S. Geological Survey during 1987: U.S. Geological Survey Circular 1016, p. 147-149.
- (T,r) Brew, D. A., Loney, R. A., and Muffler, L. J. P., 1966, Tectonic history of southeastern Alaska, <u>in</u> A symposium on the tectonic history and mineral deposits of the western Cordillera, Vancouver, British Columbia, Canada, 1964: Canadian Institute of Mining and Metallurgy, Geology Division, Special Volume 8, p. 149-170.
- (T) Brew, D. A., Loney, R. A., Pomeroy, J. S., and Muffler, L. J. P., 1963, Structural influence on development of linear topographic features, southern Baranof Island, southeastern Alaska, in Geological Survey research 1963, short papers in geology and hydrology: U.S. Geological Survey Professional Paper 475-B, p. B110-B113.
- (I,r) Brew, D. A., and Morrell, R. P., 1979, Intrusive rock belts of southeastern Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska:

  Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B116-B121.
- (T) Brew, D. A., and Morrell, R. P., 1979, The Wrangell terrane ("Wrangellia") in southeastern Alaska: The Tarr Inlet suture zone with its northern and southern extensions, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B121-B123.
- (S) Brew, D. A., and Morrell, R. P., 1979, Correlation of the Sitka Graywacke, unnamed rocks in the Fairweather Range, and

Valdez Group, southeastern and south-central Alaska, in Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978: U.S. Geological Survey Circular 804-B, p. B123-B125.

- (I,r) Brew, D. A., and Morrell, R. P., 1980, Preliminary map of intrusive rocks in southeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1048, scale 1:1,000,000.
- (I,r) Brew, D. A., and Morrell, R. P., 1983, Intrusive rocks and plutonic belts of southeastern Alaska, U.S.A., in Roddick, J. A., ed., Circum-Pacific plutonic terranes: Geological Society of America Memoir 159, p. 171-193.
- (I,x) Brew, D. A., Muffler, L. J. P., and Loney, R. A., 1966, Eruptive history of the Mount Edgecumbe volcanic field, Kruzof Island, southeastern Alaska [abs.]: Alaskan Science Conference, 16th, Juneau, Alaska, 1965, Proceedings, p. 115-116.
- (I,d,x) Brew, D. A., Muffler, L. J. P., and Loney, R. A., 1969,
  Reconnaissance geology of the Mount Edgecumbe volcanic
  field, Kruzof Island, southeastern Alaska, in Geological
  Survey research 1969, Chapter D: U.S. Geological Survey
  Professional Paper 650-D, p. D1-D18.
- (E) Brooks, A. H., 1902, The coal resources of Alaska: U.S. Geological Survey 22nd Annual Report, part 3, p. 515-571.
- (E) Brooks, A. H., 1902, Preliminary report on the Ketchikan mining district, Alaska, with an introductory sketch of the geology of southeastern Alaska: U.S. Geological Survey Professional Paper 1, 120 p.
- Brooks, A. H., 1906, The geography and geology of Alaska, a summary of existing knowledge, with a section on Climate, by Cleveland Abbe, Jr. and a topographic map and description thereof, by R. U. Goode: U.S. Geological Survey Professional Paper 45, 327 p.
- (E) Brooks, A. H., 1908, The mining industry in 1907: U.S. Geological Survey Bulletin 345-A, p. 30-53.
- (E) Brooks, A. H., 1909, The mining industry in 1908: U.S. Geological Survey Bulletin 379-A, p. 21-62.
- (E) Brooks, A. H., 1909, Mineral resources of Alaska, <u>in</u> U.S. Geological Survey, Papers on the conservation of mineral resources (reprinted from report of the National Conservation Commission, February, 1909): U.S. Geological Survey Bulletin 394, p. 172-207.

- (E) Brooks, A. H., 1910, Alaska coal and its utilization: U.S. Geological Survey Bulletin 442-A, p. 47-100.
- (E) Brooks, A. H., 1911, The mining industry of 1910: U.S. Geological Survey Bulletin 480-B, p. 21-42.
- (E) Brooks, A. H., 1911, Geologic features of Alaskan metalliferous lodes: U.S. Geological Survey Bulletin 480-C, p. 43-93.
- (E) Brooks, A. H., 1912, The mining industry in 1911: U.S. Geological Survey Bulletin 520-A, p. 17-44.
- (E) Brooks, A. H., 1913, The mining industry in 1912: U.S. Geological Survey Bulletin 542-A, p. 18-51.
- (E) Brooks, A. H., 1914, The Alaskan mining industry in 1913: U.S. Geological Survey Bulletin 592-A, p. 45-74.
- (E) Brooks, A. H., 1915, The Alaskan mining industry in 1914: U.S. Geological Survey Bulletin 622-A, p. 15-68.
- (E) Brooks, A. H., 1916, The Alaskan mining industry in 1915: U.S. Geological Survey Bulletin 642-A, p. 16-71.
- (E) Brooks, A. H., 1918, The Alaskan mining industry in 1916: U.S. Geological Survey Bulletin 662-A, p. 11-62.
- (E) Brooks, A. H., 1919, Alaska's mineral supplies: U.S. Geological Survey Bulletin 666-P, p. 89-102.
- (E) Brooks, A. H., 1922, The Alaskan mining industry in 1920: U.S. Geological Survey Bulletin 722-A, p. 1-74.
- (E) Brooks, A. H., 1922, The future of Alaska mining: U.S. Geological Survey Bulletin 714-A, p. 5-57.
- (E) Brooks, A. H., 1923, The Alaskan mining industry in 1921: U.S. Geological Survey Bulletin 739-A, p. 1-50.
- (E) Brooks, A. H., 1925, Alaska's mineral resources and production, 1923: U.S. Geological Survey Bulletin 773-A, p. 1-52.
- (E) Brooks, A. H., and Capps, S. R., 1924, The Alaskan mining industry in 1922: U.S. Geological Survey Bulletin 755-A, p. 1-56.
- (E) Brooks, A. H., and Martin, G. C., 1921, The Alaskan mining industry in 1919: U.S. Geological Survey Bulletin 714-A, p. 59-95.

- (T,r) Bruns, T. R., 1985, Tectonics of the Yakutat Block, an allochthonous terrane in the northern Gulf of Alaska: U.S. Geological Survey Open-File Report 85-013, 112 p.
- (E) Buddington, A. F., 1925, Mineral investigations in southeastern Alaska: U.S. Geological Survey Bulletin 773-B, p. 71-139.
- (E) Buddington, A. F., 1926, Mineral investigations in southeastern Alaska: U.S. Geological Survey Bulletin 783-B, p. 41-62.
- (A,E,r) Buddington, A. F., and Chapin, Theodore, 1929, Geology and mineral deposits of southeastern Alaska: U.S. Geological Survey Bulletin 800, 398 p.
- (E) Burchard, E. F., 1914, Marble resources of the Juneau, Skagway, and Sitka districts, Alaska: U.S. Geological Survey Bulletin 592-C, p. 95-107.
- (E) Burchard, E. F., 1920, Marble resources of southeastern Alaska, with a section on The geography and geology, by Theodore Chapin: U.S. Geological Survey Bulletin 682, 118 p.
- (H,x) Callahan, J. E., 1970, Geologic reconnaissance of a possible powersite at Takatz Creek, southeastern Alaska: U.S. Geological Survey Bulletin 1211-D, 18 p.
- (W) Canfield, G. H., 1915, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 642-B, p. 105-127.
- (W) Canfield, G. H., 1918, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 662-B, p. 101-154.
- (W) Canfield, G. H., 1919, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 692-B, p. 43-83.
- (W) Canfield, G. H., 1920, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 712-B, p. 53-90.
- (W) Canfield, G. H., 1921, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 714-B, p. 143-187.
- (W) Canfield, G. H., 1922, Water-power investigations in southeastern Alaska: U.S. Geological Survey Bulletin 722-B, p. 75-115.
- (S,d) Carter, Claire, 1977, Age of the Hood Bay Formation, Alaska, in Sohl, N. F., and Wright, W. B., compilers, Changes in stratigraphic nomenclature by the U.S. Geological Survey, 1976: U.S. Geological Survey Bulletin 1435-A, p. 117-118.
- (W) Cederstrom, D. J., 1952, Summary of ground-water development in Alaska, 1950: U.S. Geological Survey Circular 169, 37 p.

- (E) Chapin, Theodore, 1916, Mining developments in southeastern Alaska: U.S. Geological Survey Bulletin 642-B, p. 73-104.
- (E) Chapman, R. M., and Shacklette, H. T., 1960, Geochemical exploration in Alaska, <u>in</u> Geological Survey research 1960, short papers in the geological sciences: U.S. Geological Survey Professional Paper 400-B, p. B104-B107.
- (T,r) Churkin, Michael, Jr., 1973, Paleozoic and Precambrian rocks of Alaska and their role in its structural evolution: U.S. Geological Survey Professional Paper 740, 64 p.
- (S,T,r) Churkin, Michael, Jr., and Eberlein, G. D., 1977, Correlation of the rocks of southeastern Alaska with other parts of the Cordillera, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B69-B72.
- (T,r) Churkin, Michael, Jr., and Eberlein, G. D., 1977, Ancient borderland terranes of the North American Cordillera: Correlation and microplate tectonics: Geological Society of America Bulletin, v. 88, no. 6, p. 769-786.
- (E,x) Cobb, E. H., 1972, Metallic mineral resources map of the Sitka quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-467, scale 1:250,000.
- (E) Cobb, E. H., 1973, Placer deposits of Alaska: U.S. Geological Survey Bulletin 1374, 213 p.
- (E) Cobb, E. H., 1978, Summary of references to mineral occurrences (other than mineral fuels and construction materials) in the Sitka quadrangle, Alaska: U.S. Geological Survey Open-File Report 78-450, 124 p.
- (A,E) Cobb, E. H., Wanek, A. A., Grantz, Arthur, and Carter, Claire, 1968, Summary report on the geology and mineral resources of the Bering Sea, Bogoslof, Simeonof, Semidi, Tuxedni, St. Lazaria, Hazy Islands, and Forrester Island National Wildlife Refuge, Alaska: U.S. Geological Survey Bulletin 1260-K, 28 p.
- (T,r) Coney, P. J., Jones, D. L., Monger, J. W. H., 1980, Cordilleran suspect terranes: Nature, v. 288, p. 329-333.
- (E) Cornwall, H. R., 1968, Nickel deposits of North America: U.S. Geological Survey Bulletin 1223, 62 p.
- (T) Cowan, D. S., 1982, Geological evidence for post-40 m.y.B.P. large-scale northwestward displacement of part of southeastern Alaska: Geology, v. 10, no. 6, p. 309-313.

- (E) Cornwall, H. R., 1973, Nickel, in Brobst, D. A., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 820, p. 437-442.
- (I,x) Cushing, H. P., 1897, Note on hypersthene-andesite from Mt. Edgecumbe, Alaska: American Geologist, v. 20, no. 3, p. 156-158.
- (E,x) Dadoly, J. P., 1987, Gold mineralization in a regional metamorphic terrane: A wall-rock alteration study of the Chichagof and Hirst-Chichagof gold mines, southeast Alaska: Rapid City, South Dakota, South Dakota School of Mines, unpublished M.S. thesis.
- (E) Dall, W. H., 1896, Report on coal and lignite of Alaska: U.S. Geological Survey 17th Annual Report, part 1, p. 763-875.
- (S) Dall, W. H., and Harris, G. D., 1892, Correlation papers:
  Neocene: U.S. Geological Survey Bulletin 84, 349 p.
- (G,r) Decker, John, 1979, Preliminary aeromagnetic map of southeastern Alaska: U.S. Geological Survey Open-File Report 79-1694, scale 1:1,000,000.
- (A,x) Decker, John, 1980, Geology of a Cretaceous subduction complex, western Chichagof Island, southeastern Alaska: Stanford, California, Stanford University, unpublished Ph.D. dissertation, 135 p.
- (A,x) Decker, John, 1980, Geologic map of western Chichagof Island, southeastern Alaska: U.S. Geological Survey Open-File Report 80-150, scale 1:63,360, 2 sheets.
- (S,M,x) Decker, John, 1982, Sandstone petrography and subduction zone metamorphism of Upper Cretaceous trench turbidites, Chichagof Island, southeastern Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 14, no. 4, p. 159.
- (I,x) Decker, John, 1982, Geochemical signature of the Goon Dip Greenstone on Chichagof Island, southeastern Alaska, <u>in</u> Short Notes on Alaskan Geology 1981: Alaska Division of Geological and Geophysical Surveys Geologic Report 73, p. 29-36.
- (S,x) Decker, John, 1987, Petrogenesis of Upper Cretaceous trench deposits, Chichagof Island, southeast Alaska [abs.]:
  Society of Economic Paleontologists and Mineralogists,
  Annual Midyear Meeting, 4th, Austin, Texas, 1987, Abstracts, p. 19.

- (T,x) Decker, John, and Johnson, B. R., 1981, The nature and position of the Border Ranges fault on Chichagof Island, <u>in</u> Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B102-B104.
- (G) Decker, John, Mullen, M. W., and Schwab, C. E., 1981, Aeromagnetic profile map of southeastern Alaska: U.S. Geological Survey Open-File Report 81-505, scale 1:1,000,000, 145 p.
- (S) Decker, John, Nilsen, T. H., and Karl, Susan, 1979, Turbidite facies of the Sitka Graywacke, southeastern Alaska, <u>in</u>
  Johnson, K. M., and Williams, J. R., eds., The United States Geological Survey in Alaska: Accomplishments during 1978:
  U.S. Geological Survey Circular 804-B, p. B125-B129.
- (S,T) Decker, John, and Plafker, George, 1982, Correlation of rocks in the Tarr Inlet suture zone with the Kelp Bay Group, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 119-123.
- (T) Decker, John, Wilson, F. H., and Turner, D. L., 1980,
  Mid-Cretaceous subduction event in southeastern Alaska
  [abs.]: Geological Society of America Abstracts with
  Programs, v. 12, no. 3, p. 103.
- (S) Dickinson, K. A., 1988, Diagenesis and uranium mineralization in Kootznahoo Formation, southeastern Alaska [abs.]: American Association of Petroleum Geologists Bulletin, v. 72, no. 7, p. 868-869.
- (E) Eakins, G. R., 1975, Uranium investigations in southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Geologic Report 44, 62 p.
- (E,x) East, J. H., Jr., Traver, W. S., Jr., Sanford, R. S., and Wright, W. S., 1948, Yakobi Island nickel deposit, Sitka mining district, Alaska: U.S. Bureau of Mines Report of Investigations 4182, 28 p.
- (H) Eckel, E. B., 1967, Effects of the earthquake of March 27, 1964, on air and water transport, communications, and utilities systems in south-central Alaska: U.S. Geological Survey Professional Paper 545-B, p. B1-B27.
- (W) Ellsworth, C. E., and Davenport, R. W., 1915, A water-power reconnaissance in south-central Alaska, with a section on Southeastern Alaska, by J. C. Hoyt: U.S. Geological Survey Water-Supply Paper 372, 173 p.

- (A) Emerson, B. K., Palache, Charles, Dall, W. H., Ulrich, E. O., and Knowlton, F. H., 1910, Geology and paleontology, v. 4 of Harriman Alaska series, Harriman Alaska expedition, 1899: Washington, D. C., Smithsonian Institute, 173 p.
- (E,x) Flint, G. M., Jr., and Cobb, E. H., 1953, Gypsum deposits near Iyoukeen Cove, Chichagof Island, southeastern Alaska: U.S. Geological Survey Bulletin 989-B, p. 27-37.
- (I,T) Ford, A. B., and Brew, D. A., 1977, Chemical nature of Cretaceous greenstone near Juneau, Alaska, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B88-B90.
- (E) Gates, George O., 1946, Analyses of Alaska coals, with a section on coal fields of Alaska: U.S. Bureau of Mines Technical Paper 682, 114 p.
- (A,r) Gehrels, G. E., and Berg, H. C., 1984, Geologic map of southeastern Alaska: U.S. Geological Survey Open-File Report 84-886, scale 1:600,000, 28 p.
- (A,T,r) Gehrels, G. E., and Berg, H. C., 1988, A review of the regional geology and tectonics of southeastern Alaska: U.S. Geological Survey Open-File Report 88- , 40 p. (in press).
- (A,T,r) Gehrels, G. E., and Berg, H. C., 19\_\_, Geology of southeastern Alaska, in Plafker, George, Jones, D. L., and Berg, H. C., eds., Geology of Alaska: Boulder, Colorado, Geological Society of America, The Geology of North America, v. \_\_\_, p. \_\_\_\_ (in press; soon to be available as U.S. Geological Survey Open-File Report 88-\_\_\_ listed above).
- (I,x) Geist, D. J., Myers, J. D., and Frost, C. D., 1988,

  Megacryst-bulk rock isotopic disequilibrium as an indicator
  of contamination processes: The Edgecumbe volcanic field,
  southeastern Alaska: Contributions to Mineralogy and
  Petrology, v. 99, no. 1, p. 105-112.
- (E,r) Goldfarb, R. J., Leach, D. L., and Pickthorn, W. J., 1988,
  Accretionary tectonics, fluid migration, and gold genesis in
  the Pacific Border Ranges and Coast Mountains, southern
  Alaska, in Kisvarsanyi, G., and Grant, S. K., eds., North
  American conference on tectonic control of ore deposits and
  vertical and horizontal extent of ore systems, Proceedings:
  Rolla, Missouri, University of Missouri Press, p. 67-79.
- (E,r) Goldfarb, R. J., Nelson, S. W., Berg, H. C., and Light, T. D., 1987, Distribution of mineral deposits in the Pacific Border Ranges and Coast Mountains of the Alaskan Cordillera, in Elliot, I. L., and Smee, B. W., eds., Geoexpo/86--Explora-

tion in the North American Cordillera: Rexdale, Ontario, Canada, The Association of Exploration Geochemists, p. 19-41.

- (E,x) Guild, P. W., and Balsley, J. R., Jr., 1942, Chromite deposits of Red Bluff Bay and vicinity, Baranof Island, Alaska: U.S. Geological Survey Bulletin 936-G, p. 171-187.
- (H) Heck, N. H., 1958, Continental United States and Alaska (exclusive of California and western Nevada), Part 1 of Earthquake history of the United States, revised edition (through 1956): U.S. Coast and Geodetic Survey, no. 41-1, 80 p, revised by R. A. Eppley, 1958, originally published 1938.
- (W) Henshaw, F. F., 1933, Surface water supply of southeastern Alaska, 1909-1930: U.S. Geological Survey Bulletin 836-C, p. 137-218.
- (E) Herbert, C. F., and Race, W. H., 1964, Geochemical investigations of selected areas in southeastern Alaska: Alaska Division of Mines and Minerals Geochemical Report 1, 45 p.
- (E) Herbert, C. F., and Race, W. H., 1965, Geochemical investigations of selected areas in southeastern Alaska, 1964 and 1965:
  Alaska Division of Mines and Minerals Geochemical Report 6, scale 1:63,360, 4 sheets, 65 p.
- (I,x) Heropoulos, Chris, and Mays, R. E., 1969, Semiquantitative spectrographic analyses of nine specimens from the Mount Edgecumbe volcanic field, Kruzof Island, southeastern Alaska: U.S. Geological Survey open-file report [69-126], 3 p.
- (E,x) Hessin, T. D., 1982, Geochemical studies in the West
  Chichagof-Yakobi Wilderness, in Coonrad, W. L., ed., The
  United States Geological Survey in Alaska: Accomplishments
  during 1980: U.S. Geological Survey Circular 844, p.
  135-136.
- (E,x) Hessin, T. D., and Crenshaw, G. L., 1982, Geochemical map showing the distribution and abundance of sulfate and fluoride in unfiltered water samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-P, scale 1:125,000.
- (E,x) Hessin, T. D., and Day, G. W., 1982, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in the nonmagnetic, heavy-mineral-concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka

- quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-T, scale 1:125,000.
- (E,x) Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1982, Map showing stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-M, scale 1:125,000.
- (E,x) Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1982,
  Geochemical map showing the distribution and abundance of
  copper, zinc, molybdenum, arsenic, and uranium in filtered
  water samples in the West Chichagof-Yakobi Wilderness Study
  Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-N, scale 1:125,000.
- (E,x) Hessin, T. D., Everman, W. K., and Crenshaw, G. L., 1982,
  Geochemical map showing anomalous patterns for the element
  copper in stream sediments, filtered waters, and nonmagnetic
  heavy-mineral concentrates in the West Chichagof-Yakobi
  Wilderness Study Area, Sitka quadrangle, southeastern
  Alaska: U.S. Geological Survey Open-File Report 81-27-0,
  scale 1:125,000.
- (E,x) Hessin, T. D., and Hoffman, J. D., 1982, Geochemical map showing the distribution and abundance of cobalt, chromium, and nickel in stream-sediment samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, Alaska: U.S. Geological Survey Open-File Report 81-27-R, scale 1:125,000.
- (E,x) Hessin, T. D., Maslowski, M. G., and Cooley, E. F., 1982,
  Geochemical map showing the distribution and abundance of copper, lead, zinc, and barium in the nonmagnetic,
  heavy-mineral concentrate samples in the West
  Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle,
  southeastern Alaska: U.S. Geological Survey Open-File
  Report 81-27-S, scale 1:125,000.
- (E,x) Hessin, T. D., Maslowski, M. G., and Day, G. W., 1982,
  Geochemical map showing the distribution and abundance of
  copper, lead, and barium in stream-sediment samples in the
  West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey
  Open-File Report 81-27-Q, scale 1:125,000.
- (E,x) Hessin, T. D., Maslowski, M. G., and Day, G. W., 1982, Geochemical map showing the distribution and abundance of silver, arsenic, gold, tin, and tungsten in the nonmagnetic, heavy-mineral concentrate samples in the West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle,

- southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-U, scale 1:125,000.
- (E,x) Hessin, T. D., Speckman, W. S., Crenshaw, G. L., Hoffman, J. D., and Cooley, E. F., 1980, Analytical results of various types of samples taken in West Chichagof-Yakobi Wilderness Study Area, Sitka quadrangle, southeastern Alaska: U.S. Geological Survey Open-File Report 80-905, 74 p.
- (S) Heusser, C. J., 1960, Late-Pleistocene environments of North Pacific North America, an elaboration of late-glacial and post-glacial climatic, physiographic, and biotic changes: American Geographic Society, Special Publication 35, 308 p.
- (S) Hill, T. P., and Werner, M. A., compilers, 1972, Chemical composition of sedimentary rocks in Alaska, Idaho, Oregon, and Washington: U.S. Geological Survey Professional Paper 771, 319 p.
- (G,T) Hillhouse, J. W., and Gromme, C. S., 1980, Paleomagnetism of Triassic Hound Island Volcanics, Alexander terrane, southeastern Alaska: Journal of Geophysical Research, v. 85, no. B5, p. 2594-2602.
- (I,x) Himmelberg, G. R., Loney, R. A., and Nabelek, P. I., 1987,
  Petrogenesis of gabbronorite at Yakobi and northwest
  Chichagof Islands, Alaska: Geological Society of America
  Bulletin, v. 98, no. 3, p. 265-279.
- (S) Hollick, Arthur, 1936, The Tertiary floras of Alaska, with a chapter on the geology of the Tertiary deposits, by P. S. Smith: U.S. Geological Survey Professional Paper 182, 185 p.
- (S) Hollick, Arthur, ed., 1898, The later extinct floras of North America, by J.S. Newberry (a posthumous work): U.S. Geological Survey Monograph 35, 295 p.
- (S,x) Hoskin, C. M., 1971, Biogenetic carbonate sediment from an intertidal encrusting community, Sitka Sound, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 3, no. 7, p. 604-605.
- (S) Hoskin, C. M., and Nelson, R. V., Jr. 1969, Modern marine carbonate sediment, Alexander Archipelago, Alaska: Journal of Sedimentary Petrology, v. 39, no. 2, p. 581-590.
- (W) Hoyt, J. C., 1910, A water-power reconnaissance in southeastern Alaska: U.S. Geological Survey Bulletin 442-C, p. 147-157.
- (I,r) Hudson, Travis, 1979, Mesozoic plutonic belts of southern Alaska: Geology, v. 7, no. 5, p. 230-234.

- (I,r) Hudson, Travis, 1983, Calc-alkaline plutonism along the Pacific rim of southern Alaska, in Roddick, J. A., ed., 1983, Circum-Pacific plutonic terranes: Geological Society of America Memoir 159, p. 159-169.
- (T,Q,r) Hudson, Travis, Dixon, Kirk, and Plafker, George, 1982, Regional uplift in southeastern Alaska, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 132-135.
- (T) Hudson, Travis, Plafker, George, and Dixon, Kirk, 1982, Horizon-tal offset history of the Chatham Strait fault, in Coonrad, W. L., ed., The United States Geological Survey in Alaska: Accomplishments during 1980: U.S. Geological Survey Circular 844, p. 128-132.
- (E,x) Jermain, G. D., and Rutledge, F. A., 1952, Diamond drilling the Gypsum-Camel prospect, Iyoukeen Cove, Chichagof Island, southeastern Alaska: U.S. Bureau of Mines Report of Investigations 4852, 6 p.
- (E,x) Jirik, R. S., 1982, Geology of the Takanis copper-nickel-cobalt prospect, Yakobi Island, southeastern Alaska: Pullman, Washinton, Washington State University, unpublished M.S. thesis, 182 p.
- (W) Johnson, Arthur, 1963, Water power investigations of lakes in Alaska, in Geological Survey research 1963: U.S. Geological Survey Professional Paper 475-B, p. B176-B178.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing bedrock geochemical station locations, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-A, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of gold and silver in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-B, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of boron and beryllium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-C, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of copper in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area,

- southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-D, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of cobalt in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-E, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of molybdenum, tin, and vanadium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-F, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of nickel and chromium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-G, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of lead in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-H, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of scandium and yttrium in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-I, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of strontium and lanthanum in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-J, scale 1:125,000.
- (E,x) Johnson, B. R., and Elliott, G. S., 1984, Map showing the distribution and abundance of zinc in bedrock samples, Western Chichagof-Yakobi Islands Wilderness Study Area, southeastern Alaska: U.S. Geological Survey Open-File Report 81-27-K, scale 1:125,000.
- (A,x) Johnson, B. R., and Karl, S. M., 1985, Geologic map of western Chichagof and Yakobi Islands, southeastern Alaska: U.S. Geological Survey Miscellaneous Investigations Map I-1506, scale 1:125,000, 15 p.
- (E,x) Johnson, B. R., Kimball, A. L., and Still, J. C., 1982, Mineral resource potential of the Western Chichagof and Yakobi

- Islands Wilderness Study Area, southeastern Alaska summary report: U.S. Miscellaneous Field Studies Map MF-1476-B, scale 1:125,000, 10 p.
- (T,r) Jones, D. L., Irwin, W. P., and Ovenshine, A. T., 1972, South-eastern Alaska-A displaced continental fragment?, in Geological Survey research, 1972, Chapter B: U.S. Geological Survey Professional Paper 800-B, p. B211-B217.
- (T,r) Jones, D. L., Silberling, N. J., Berg, H. C., and Plafker, George, 1981, Map showing tectonostratigraphic terranes of Alaska, columnar sections, and summary description of terranes: U.S. Geological Survey Open-File Report 81-792, scale 1:2,500,000, 2 sheets, 21 p.
- (T,r) Jones, D. L., Silberling, N. J., and Hillhouse, J. W., 1977, Wrangellia--A displaced terrane in northwestern North America: Canadian Journal of Earth Science, v. 14, no. 11, p. 2565-2577.
- (S) Karl, S. M., 1982, Geochemical and depositional environments of Upper Mesozoic radiolarian cherts from the northeastern Pacific rim and from Pacific DSDP cores: Stanford, California, Stanford University, unpublished Ph.D. dissertation, 245 p.
- (S,T,x) Karl, S. M., Decker, John, and Johnson, B. R., 1982,
  Discrimination of Wrangellia and the Chugach terrane in the
  Kelp Bay Group on Chichagof and Baranof Islands, southeastern Alaska, in Coonrad, W. L., ed., The United States
  Geological Survey in Alaska: Accomplishments during 1980:
  U.S. Geological Survey Circular 844, p. 124-128.
- (I,d,x) Karl, S. M., Johnson, B. R., and Lanphere, M. A., 1988, New K/Ar ages for plutons on western Chichagof Island and on Yakobi Island, in Galloway, J. P., and Hamilton, T. D., eds., Geologic studies in Alaska by the U.S. Geological Survey during 1987: U.S. Geological Survey Circular 1016, p. 164-168.
- (E) Kaufman, Alvin, 1958, Southeastern Alaska's mineral industry: U.S. Bureau of Mines Information Circular 7844, 37 p.
- (E) Kennedy, G. C., and Walton, M. S., Jr., 1946, Nickel investigations in southeastern Alaska: U.S. Geological Survey Bulletin 947-C, p. 39-64.
- (E) Kennedy, G. C., and Walton, M. S., Jr., 1946, Geology and associated mineral deposits of some ultrabasic rock bodies in southeastern Alaska: U.S. Geological Survey Bulletin 947-D, p. 65-84.

- (E,x) Kimball, A. L., 1982, Mineral land assessment of Yakobi Island and adjacent parts of Chichagof Island, southeastern Alaska: U.S. Bureau of Mines Open-File Report 97-82, 199 p.
- (S) Kindle, E. M., 1907, Notes on the Paleozoic faunas and stratigraphy of southeastern Alaska: Journal of Geology, v. 15, no. 4, p. 314-337.
- (Q) Kirk, Edwin, 1918, Paleozoic glaciation in southeastern Alaska:
  American Journal of Science, 4th series, v. 46, no. 4, p.
  511-515.
- (S) Kirk, Edwin, 1927, Pycnodesma, a new molluscan genus from the Silurian of Alaska: U.S. National Museum, Proceedings, v. 71, article 20, p. 1-9.
- (S) Kirk, Edwin, 1927, Pycinodesma, new name for Pycnodesma Kirk not Schrammen: Washington Academy of Sciences: Journal, v. 17, no. 21, p. 543.
- (E) Knopf, Adolph, 1910, Mining in southeastern Alaska: U.S. Geological Survey Bulletin 442-C, p. 133-143.
- (E) Knopf, Adolph, 1911, Mining in southeastern Alaska: U.S. Geological Survey Bulletin 480-D, p. 94-102.
- (E,x) Knopf, Adolph, 1912, The Sitka mining district, Alaska: U.S. Geological Survey Bulletin 504, 32 p.
- (S) Knowlton, F. H., 1898, A catalogue of the Cretaceous and Tertiary plants of North America: U.S. Geological Survey Bulletin 152, 247 p.
- (E) Koschmann, A. H., and Bergendahl, M. H., 1968, Principal gold-producing districts of the United States: U.S. Geological Survey Professional Paper 610, 283 p.
- (I) Kosco, D. G., 1981, Part I, The Edgecumbe volcanic field,
  Alaska, an example of tholeiitic and cal-alkaline vocanism;
  Part II, Characteristics of andesitic to dacitic volcanism
  at Katmai National Park, Alaska: Berkley, California,
  University of California, unpublished Ph.D. dissertation,
  258 p.
- (S) Kummel, Bernhard, 1953, American Triassic coiled nautiloids: U.S. Geological Survey Professional Paper 250, 104 p.
- (I) Lanphere, M. A., 1968, Sr-Rb-K and Sr isotopic relationships in ultramafic rocks, southeastern Alaska: Earth and Planetary Science Letters, v. 4, no. 3, p. 185-190.

- (I,d) Lanphere, M. A., and Eberlein, G. D., 1966, K-Ar ages of magnetite-bearing ultramafic complexes in southeastern Alaska [abs.]: Geological Society of America Special Paper 87, p. 94.
- (I,d,x) Lanphere, M. A., Loney, R. A., and Brew, D. A., 1965,
  Potassium-argon ages of some plutonic rocks, Tenakee area,
  Chichagof Island, southeastern Alaska, in Geological Survey
  research 1965: U.S. Geological Survey Professional Paper
  525-B, p. B108-B111.
- (T) Lathram, E. H., 1964, Apparent right-lateral separation on Chatham Strait fault, southeastern Alaska: Geological Society of America Bulletin, v. 75, no. 3, p. 249-251.
- (A,d,x) Lathram, E. H., Loney, R. A., Berg, H. C., and Pomeroy, J. S., 1960, Progress map of the geology of Admiralty Island, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-323, scale 1:250,000.
- (A,n,d,x) Lathram, E. H., Pomeroy, J. S., Berg, H. C., and Loney, R. A., 1965, Reconnaissance geology of Admiralty Island, Alaska: U.S. Geological Survey Bulletin 1181-R, 48 p.
- (G) LKB Resources, Inc., 1979, NURE aerial gamma-ray and magnetic reconnaissance survey, southeastern area--Alaska: Skagway, Atlin, Mt. Fairweather, Juneau, Taku River, Sitka, Sumdum, Port Alexander, Petersburg, Bradfield Canal, Craig, Ketchikan, Dixon Entrance, Prince Rupert quadrangles: Grand Junction, Colorado, U.S. Department of Energy Report GJBX-48-79, scale 1:500,000 or 1:250,000.
- (W) Lohr, E. W., 1957, Chemical character of public water supplies of the larger cities of Alaska, Hawaii, and Puerto Rico, 1954: U.S. Geological Survey Water Supply Paper 1460-A, 39 p.
- (T,x) Loney, R. A., 1963, Superposed folding in the Pybus-Gambier area, Admiralty Island, Alaska [abs.]: Geological Society of America Special Paper 73, p. 47.
- (S,n,d,x) Loney, R. A., 1964, Stratigraphy and petrography of the Pybus-Gambier area, Admiralty Island, Alaska: U.S. Geological Survey Bulletin 1178, 103 p.
- (T,x) Loney, R. A., 1965, Structural analysis of the Pybus-Gambier area, Admiralty Island, Alaska: University of California Publications in Geological Sciences, v. 46, no. 2, p. 33-80.
- (A,n,d,x) Loney, R. A., Berg, H. C., Pomeroy, J. S., and Brew, D. A., 1963, Reconnaissance geologic map of Chichagof Island and north-western Baranof Island, Alaska: U.S. Geological Survey

- Miscellaneous Geologic Investigations Map I-388, scale 1:250,000.
- (M) Loney, R. A., and Brew, D. A., 1987, Regional thermal metamorphism and deformation of the Sitka Graywacke, southern Baranof Island, southeastern Alaska: U.S. Geological Survey Bulletin 1779, 17 p.
- (T,d) Loney, R. A., Brew, D. A., and Lanphere, M. A., 1967,
  Post-Paleozoic radiometric ages and their relevance to fault
  movements, northern southeastern Alaska: Geological Society
  of America Bulletin, v. 78, no. 4, p. 511-526.
- (A,n,d,x) Loney, R. A., Brew, D. A., Muffler, L. J. P., and Pomeroy, J. S., 1975, Reconnaissance geology of Chichagof, Baranof, and Kruzof Islands, southeastern Alaska: U.S. Geological Survey Professional Paper 792, 105 p.
- (A,n,d,x) Loney, R. A., Condon, W. H., and Dutro, J. T., Jr., 1963, Geology of the Freshwater Bay area, Chichagof Island, Alaska: U.S. Geological Survey Bulletin 1108-C, 54 p.
- (A,x) Loney, R. A., Pomeroy, J. S., Brew, D. A, and Muffler, L. J. P., 1964, Reconnaissance geologic map of Baranof and Kruzof Islands, Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-411, scale 1:250,000.
- (T) MacKevett, E. M., Gardner, M. C., Bergman, S. C., Cushing, G., and McClelland, W. D., 1986, Geological evidence for Late Pennsylvanian juxtapostion of Wrangellia and Alexander terrane, Alaska [abs.]: Geological Society of America Abstracts with Programs, v. 18, no. 3, p. 128.
- (T) MacKevett, E. M., Jr., and Plafker, George, 1974, The Border Ranges fault in south-central Alaska: U.S. Geological Survey Journal of Research, v. 2, no. 3, p. 323-329.
- (E) Maloney, William, 1916, Report of the Territorial Mine Inspector to the Governor of Alaska for the year 1915: Territory of Alaska, Department of Mines, 36 p.
- (E) Maloney, William, 1917, Report of William Maloney, Territorial Mine Inspector, to the Governor of Alaska, for the year 1916: Territory of Alaska, Department of Mines, 86 p.
- (E) Maloney, William, 1918, Report of the Territorial Mine Inspector to the Governor of Alaska for the year 1917: Territory of Alaska, Department of Mines, 50 p.
- (E) Martin, G. C., 1919, The Alaskan mining industry in 1917: U.S. Geological Survey Bulletin 692-A, p. 11-42.

- (E) Martin, G. C., 1920, The Alaskan mining industry in 1918: U.S. Geological Survey Bulletin 712-A, p. 1-52.
- (E) Martin, G. C., 1921, Preliminary report on petroleum in Alaska: U.S. Geological Survey Bulletin 719, 83 p.
- (S,n,d,r) Martin, G. C., 1926, The Mesozoic stratigraphy of Alaska: U.S. Geological Survey Bulletin 776, 493 p.
- (S,d) Marvin, R. F., 1974, A tabulation of K-Ar, Rb-Sr, and Pb-alpha ages obtained for materials within the United States (including Alaska and Hawaii) during the years 1965 through 1968: U.S. Geological Survey Open-File Report 74-1069, 245 p.
- (W) McCoy, G. A., 1977, Fisheries enhancement studies: Limnological studies in southeastern Alaska and water quality measurements along the TAPS route during pipeline construction, in Blean, K. M., ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B7-B8.
- (W) McCoy, G. A., Wiggins, W. W., and Schmidt, A. E., 1977, Limnological investigation of six lakes in southeast Alaska: U.S. Geological Survey Water Resources Investigations Report 76-122.
- (E) McGee, D. L., 1972, Gulf of Alaska petroleum seeps: Alaska
  Division of Geological and Geophysical Surveys Open-File
  Report 32, 7 p.
- (E) Miller, D. J., Payne, T. G., and Gryc, George, 1959, Geology of possible petroleum provinces in Alaska, with an annotated bibliography by E. H. Cobb: U.S. Geological Survey Bulletin 1094, 131 p.
- (Z) Miller, T. P., compiler, 1973, Distribution and chemical analyses of thermal springs in Alaska: U.S. Geological Survey open-file report [73-187], scale 1:2,500,000.
- (E) Moffit, F. H., 1927, Mineral industry of Alaska in 1925: U.S. Geological Survey Bulletin 792-A, p. 1-39.
- (T,r) Monger, J. W. H., and Berg, H. C., 1987, Lithotectonic terrane map of western Canada and southeastern Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-1874-B, scale 1:2,500,000.
- (Z) Motyka, R. J., and Moorman, M. A., 1987, Geothermal resources of southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Professional Report 93, scale 1:1,000,000.

- (S,n,d) Muffler, L. J. P., 1967, Stratigraphy of the Keku Islets and neighboring parts of Kuiu and Kupreanof Islands, south-eastern Alaska: U.S. Geological Survey Bulletin 1241-C, 52 p.
- (Z) Muffler, L. J. P., ed., 1979, Assessment of the geothermal resources of the United States--1978: U.S. Geological Survey Circular 790, 163 p.
- (I,x) Myers, J. D., 1979, Geology and petrology of the Edgecumbe volcanic field, southeastern Alaska--Transform fault volcanism and magma mixing: Baltimore, Maryland, The John Hopkins University, unpublished Ph.D. dissertation, 205 p.
- (I,x) Myers, J. D., and Marsh, B. D., 1981, Geology and petrogenesis of the Edgecumbe volcanic field, southeastern Alaska--The interactions of basalt and sialic crust: Contributions to Mineralogy and Petrology, v. 77, no. 3, p. 272-287.
- (S,T) Newton, C. R., 1983, Paleozoogeographic affinities of Norian bivalves from the Wrangellian, Peninsular and Alexander terranes, western North America, in Stevens, C. H., Pre-Jurassic suspect terranes of the western Cordillera: Society of Economic Paleontologists and Mineralogists Symposium, Sacramento, California, 1983, p. 37-48.
- (E) Noel, G. A., 1966, The productive mineral deposits of southeastern Alaska: Canadian Institute of Mining and Metallurgy, Special Volume 8, p. 215-229.
- (E) Nokleberg, W. J., Bundtzen, T. K., Berg, H. C., Brew, D. A., Grybeck, Donald, Robinson, M. S., Smith, T. E., and Yeend, Warren, 1987, Significant metalliferous lode deposits and placer districts of Alaska: U.S. Geological Survey Bulletin 1786, 104 p.
- (E) Nokleberg, W. J., Bundtzen, T. K., Berg, H. C., Brew, D. A., Grybeck, Donald, Robinson, M. S., Smith, T. E., and Yeend, Warren, 1988, Metallogeny and major mineral deposits of Alaska: U.S. Geological Survey Open-File Report 88-73, scale 1:5,000,000, 2 sheets, 97 p.
- (E,x) Northern Miner, 1988, Golden Sitka busy at Chichagof: Northern Miner, v. 74, no. 24, p. 6.
- (S) Oliver, W. A., Jr., Merriam, C. W., and Churkin, Michael, Jr., 1975, Ordovician, Silurian, and Devonian corals of Alaska: U.S. Geological Survey Professional Paper 823-B, p. B13-B44.
- (T) Ovenshine, A. T., and Brew, D. A., 1972, Separation and history of the Chatham Strait fault, southeastern Alaska, North

- America: International Geologic Congress, 24th, Montreal, Canada, 1972, Section 3, p. 245-254.
- (S,d) Ovenshine, A. T., and Webster, G. D., 1970, Age and stratigraphy of the Heceta Limestone in northern Sea Otter Sound, southeastern Alaska, in Geological Survey research, Chapter C: U.S. Geological Survey Professional Paper 700-C, p. C170-C174.
- (A,E,x) Overbeck, R. M., 1919, Geology and mineral resources of the west coast of Chichagof Island: U.S. Geological Survey Bulletin 692-B, p. 91-136.
- (H,x) Page, Robert, 1973, The Sitka, Alaska earthquake of 1972--an unexpected visitor: Earthquake Information Bulletin, v. 5, no. 5, p. 4-9.
- (G,T,r) Panuska, B. C., 1984, Paleomagnetism of the Wrangellia and Alexander terranes and the tectonic history of southern Alaska: Fairbanks, Alaska, University of Alaska, unpublished Ph.D. dissertation, 197 p.
- (G,T,x) Panuska, B. C., and Decker, John, 1985, Reconnaissance paleomagnetic study of the Eocene Admiralty Island volcanics, southeast Alaska; evidence for pre-late Eocene accretion [abs.]: Geological Society of America Abstracts with Programs, v. 17, no. 7, p. 684.
- (T,r) Panuska, B. C., and Stone, D. B., 1985, Latitudinal motion of the Wrangellia and Alexander terranes and the Southern Alaska Superterrane, in Howell, D. G., ed., Tectonostratigraphic terranes in the Circum-Pacific Region: Houston, Texas, Circum-Pacific Council for Energy and Mineral Resources Earth Science Series, no. 1, p. 109-120.
- (T,r) Payne, T. G., 1955, Mesozoic and Cenozoic tectonic elements of Alaska: U.S. Geological Survey Miscellaneous Geologic Investigations Map I-84, scale 1:5,000,000.
- (Z) Peale, A. C., 1886, Lists and analyses of the mineral springs of the United States—a preliminary study: U.S. Geological Survey Bulletin 32, 235 p.
- (E,x) Pecora, W. T., 1942, Nickel-copper deposits on the west coast of Chichagof Island, Alaska: U.S. Geological Survey Bulletin 936-I, p. 221-243.
- (Q,r) Pewe, T. L., 1975, Quaternary geology of Alaska: U.S. Geological Survey Professional Paper 835, 3 sheets, 145 p.
- (A) Plafker, George, 1967, Geologic map of the Gulf of Alaska Tertiary province, Alaska: U.S. Geological Survey

- Miscellaneous Geologic Investigations Map I-484, scale 1:500,000.
- (T,r) Plafker, George, Jones, D. L., and Pessagno, E. A., Jr., 1977, A Cretaceous accretionary flysch and melange terrane along the Gulf of Alaska margin, in Blean, K. M, ed., The United States Geological Survey in Alaska: Accomplishments during 1976: U.S. Geological Survey Circular 751-B, p. B41-B43.
- Plafker, George, Jones, D. L., Hudson, Travis, and Berg, H. C., 1976, The Border Ranges fault system in the Saint Elias Mountains and Alexander Archipelago, in Cobb, E. H., ed., The United States Geological Survey in Alaska: Accomplishments during 1975: U.S. Geological Survey Circular 733, p. 14-16.
- (P,x) Pomeroy, J. S., 1964, Recognition criteria of igneous and metamorphic rocks on aerial photographs of Chichagof and Kruzof Islands, southeastern Alaska: U.S. Geological Survey Bulletin 1043-E, p. 87-110.
- (A,E,x) Race, W. H., and Rose, A. W., 1967, Geochemical and geological investigations of Admiralty Island, southeastern Alaska:
  Alaska Division of Mines and Minerals Geochemical Report 8, scale 1:250,000, 6 sheets, 43 p.
- (E,x) Reed, J. C., 1939, Preliminary report on the ore deposits of the Chichagof mining district, Alaska: American Institute of Mining and Metallurgical Engineers Technical Publication 1051, 20 p.
- (A,E,d,x) Reed, J. C., and Coats, R. R., 1942, Geology and ore deposits of the Chichagof mining district, Alaska: U.S. Geological Survey Bulletin 929, 148 p.
- (E,x) Reed. J. C., and Dorr, J. V. N., 2d, 1942, Nickel deposits of Bohemia Basin and vicinity, Yakobi Island, Alaska: U.S. Geological Survey Bulletin 931-F, p. 105-138.
- (E) Reed, J. C., and Gates, G. O., 1942, Nickel-copper deposits at Snipe Bay, Baranof Island, Alaska: U.S. Geological Survey Bulletin 936-M, p. 321-330.
- (Z) Reed, M. J., ed, 1983, Assessment of low-temperature geothermal resources of the United States--1982: U.S. Geological Survey Circular 892, 73 p.
- (Z) Reed, M. J., Mariner, R. H., Brook, C. A., and Sorey, M. L., 1983, Selected data for low-temperature (less than 90 C) geothermal system in the United States; reference data for U.S. Geological Survey Circular 892: U.S. Geological Survey Open-File Report 83-250, 132 p.

- (A,G,x) Reifenstuhl, R. R., 1983, A geological and geophysical study of the Goddard Hot Springs area, Baranof Island, southeastern Alaska: Fairbanks, Alaska, University of Alaska, unpublished M.S. thesis, scale 1:25,000, 113 p.
- (I,x) Reifenstuhl, R. R., 1984, The Crawfish Inlet pluton, Baranof Island, southeastern Alaska: Anatexis or magmatic compositional evolution [abs.]: Geological Society of America Abstracts with Programs, v. 16, no. 5, p. 330.
- (A,x) Reifenstuhl, R. R., 1986, Geology of the Goddard Hot Springs area, Baranof Island, southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Public-Data File Report 86-2, scale 1:40,000, 82 p.
- (G) Richter, Donald, and Herreid, Gordon, 1963, Magnetic anomalies in Alaska, in Alaska Division of Mines and Minerals Report for the year 1963: Alaska Division of Mines and Minerals, p. 53-55.
- (I,x) Riehle, J. R., and Brew, D. A., 1984, Explosive latest Pleistocene(?) and Holocene activity of the Mount Edgecumbe volcanic field, Alaska, in Reed, K. M., and Bartsch-Winkler, Susan, eds., The United States Geological Survey in Alaska: Accomplishments during 1982: U.S. Geological Survey Circular 939, p. 111-115.
- (I,x) Riehle, J. R., and Brew, D. A., 1987, Pyroclastic deposits of the Edgecumbe volcanic field, Kruzof Island, Alaska, and some speculations about their origin [abs.], in Hawaii symposium on how volcanoes work, (Diamond Jubilee, 1912-1987): Hilo, Hawaii, U.S. Geological Survey, Hawaii Volcano Observatory, Abstract volume, p. 210.
- (E) Roehm, J. C., 1946, Some high calcium limestone deposits in southeastern Alaska: Alaska Department of Mines Pamphlet 6, 85 p.
- (E,x) Rose, A. W., 1966, Hasselborg-Thayer Lake area, Admiralty Island, southeastern Alaska [abs.], <u>in</u> Alaska Division of Mines and Minerals, Report for the year 1966: Alaska Division of Mines and Minerals, p. 84.
- (A,E,x) Rossman, D. L., 1959, Geology and ore deposits of northwestern Chichagof Island, Alaska: U.S. Geological Survey Bulletin 1058-E, p. 139-216.
- (I) Rossman, D. L., 1963, Geology and petrology of two stocks of layered gabbro in the Fairweather Range, Alaska: U.S. Geological Survey Bulletin 1121-F, 50 p.

- (S) Rowett, C. L., 1975, Stratigraphic distribution of Permian corals in Alaska: U.S. Geological Survey Professional Paper 823-D, p. D59-D75.
- (I) Sainsbury, C. L., 1957, Some pegmatite deposits in southeastern Alaska: U.S. Geological Survey Bulletin 1024-G, p. 141-161.
- (P) Sargent, R. H., and Moffit, F. H., 1929, Aerial photographic surveys in southeastern Alaska: U.S. Geological Survey Bulletin 797-E, p. 143-160.
- (E) Shacklette, H. T., 1965, Bryophytes associated with mineral deposits and solutions in Alaska: U.S. Geological Survey Bulletin 1198-C, 18 p.
- (E) Smith, G. I., Jones, C. L., Culbertson, W. C., Ericksen, G. E., and Dyni, J. R., 1973, Evaporites and brines, in Brobst, D. A., and Pratt, W. P., eds., United States mineral resources: U.S. Geological Survey Professional Paper 830, p. 197-216.
- (S) Smith, J. P., 1927, Upper Triassic marine invertebrate faunas of North America: U.S. Geological Survey Professional Paper 141, 262 p.
- (E) Smith, P. S., 1926, Mineral industry of Alaska in 1924: U.S. Geological Survey Bulletin 783-A, p. 1-30.
- (E) Smith, P. S., 1929, Mineral industry of Alaska in 1926: U.S. Geological Survey Bulletin 797-A, p. 1-50.
- (E) Smith, P. S., 1930, Mineral industry of Alaska in 1927: U.S. Geological Survey Bulletin 810-A, p. 1-64.
- (E) Smith, P. S., 1930, Mineral industry of Alaska in 1928: U.S. Geological Survey Bulletin 813-A, p. 1-72.
- (E) Smith, P. S., 1932, Mineral industry of Alaska in 1929: U.S. Geological Survey Bulletin 824-A, p. 1-81.
- (E) Smith, P. S., 1933, Mineral industry of Alaska in 1931: U.S. Geological Survey Bulletin 844-A, p. 1-82.
- (E) Smith, P. S., 1933, Mineral industry of Alaska in 1930: U.S. Geological Survey Bulletin 836-A, p. 1-83.
- (E) Smith, P. S., 1934, Mineral industry of Alaska in 1932: U.S. Geological Survey Bulletin 857-A, p. 1-91.
- (E) Smith, P. S., 1934, Mineral industry of Alaska in 1933: U.S. Geological Survey Bulletin 864-A, p. 1-94.

- (E) Smith, P. S., 1936, Mineral industry of Alaska in 1934: U.S. Geological Survey Bulletin 868-A, p. 1-91.
- (E) Smith, P. S., 1937, Mineral industry of Alaska in 1935: U.S. Geological Survey Bulletin 880-A, p. 1-95.
- (E) Smith, P. S., 1938, Mineral industry of Alaska in 1936: U.S. Geological Survey Bulletin 897-A, p. 1-107.
- (E) Smith, P. S., 1939, Mineral industry of Alaska in 1937: U.S. Geological Survey Bulletin 910-A, p. 1-113.
- (E) Smith, P. S., 1939, Mineral industry of Alaska in 1938: U.S. Geological Survey Bulletin 917-A, p. 1-113.
- (A,r) Smith, P. S., 1939, Areal geology of Alaska: U.S. Geological Survey Professional Paper 192, 100 p.
- (E) Smith, P. S., 1941, Past lode-gold production from Alaska: U.S. Geological Survey Bulletin 917-C, p. 159-212.
- (E) Smith, P. S., 1941, Mineral industry of Alaska in 1939: U.S. Geological Survey Bulletin 926-A, p. 1-106.
- (E) Smith, P. S., 1942, Occurrences of molybdenum minerals in Alaska: U.S. Geological Survey Bulletin 926-C, p. 161-210.
- (E) Smith, P. S., 1942, Mineral industry of Alaska in 1940: U.S. Geological Survey Bulletin 933-A, p. 1-102.
- (E) Smith, S. S., 1913, Report of the Mine Inspector for the Territory of Alaska to the Secretary of the Interior for the fiscal year ended June 30, 1912: Washington, D.C., Government Printing Office, 24 p.
- (E) Smith, S. S., 1914, Report of the Mine Inspector for the Territory of Alaska to the Secretary of the Interior for the fiscal year ended June 30, 1914: Washington, D.C., Government Printing Office, 36 p.
- (E) Smith, S. S., 1917, The mining industry in the Territory of Alaska during the calendar year 1915: U.S. Bureau of Mines Bulletin 142, 65 p.
- (E) Smith, S. S., 1917, The mining industry in the Territory of Alaska during the calendar year 1916: U.S. Bureau of Mines Bulletin 153, 89 p.
- (I) Sonnevil, R. A., 1981, The Chilkat-Prince of Wales plutonic province, southeastern Alaska, <u>in</u> Albert, N. R. D., and Hudson, Travis, eds., The United States Geological Survey in

- Alaska: Accomplishments during 1979: U.S. Geological Survey Circular 823-B, p. B112-B115.
- (H,x) Soward, K. S., 1961, Geologic investigations of proposed powersites at Baranof and Carbon Lakes, Baranof Island, Alaska: U.S. Geological Survey Bulletin 1031-B, p. 25-46.
- (E) Stewart, B. D., 1921, Annual report of the Territorial Mine Inspector to the Governor of Alaska, 1920: Territory of Alaska, Department of Mines, 72 p.
- (E) Stewart, B. D., 1923, Annual report of the Mine Inspector to the Governor of Alaska, 1922: Territory of Alaska, Department of Mines, 175 p.
- (E) Stewart, B. D., 1924, Annual report of the Mine Inspector to the Governor of Alaska, 1923: Territory of Alaska, Department of Mines, 109 p.
- (E) Stewart, B. D., 1931, Report on cooperation between the Territory of Alaska and the United States in making mining investigations and in the inspection of mines for the biennium ending March 31, 1931: Territory of Alaska, Department of Mines, 145 p.
- (E,x) Stewart, B. D., 1932, The occurrence of gypsum at Iyoukeen Cove, Chichagof Island: U.S. Geological Survey Bulletin 824-E, p. 173-181.
- (E) Stewart, B. D., 1933, Mining investigations and mine inspection in Alaska, including assistance to prospectors, biennium ending March 31, 1933: Territory of Alaska, Department of Mines, 192 p.
- (E) Stewart, B. D., 1941, Territory of Alaska, report of the Commissioner of Mines to the Governor for the biennium ended December 31, 1940: Territory of Alaska, Department of Mines, 92 p.
- (E) Stewart, B. D., and Dyer, B. W., 1922, Annual report of the Territorial Mine Inspector to the Governor of Alaska, 1921: Territory of Alaska, Department of Mines, 96 p.
- (E,x) Still, J. C., 1981, Mineral land assessment of the west portion of western Chichagof island, southeast Alaska: U.S. Bureau of Mines Open-File Report 89-81, 168 p.
- (E,x) Still, J. C., 1988, Distribution of gold, platinum, palladium, and silver in selected portions of the Bohemia Basin deposits, southeast Alaska (with an appendix section on Mirror Harbor): U.S. Bureau of Mines Open-File Report 10-88, 10 sheets, 42 p.

- (E) Stone, R. W., and others, 1920, Gypsum deposits of the United States: U.S. Geological Survey Bulletin 697, 326 p.
- (H) Tarr, R. S., and Martin, Lawrence, 1912, The earthquakes at Yakutat Bay, Alaska, in September, 1899, with a preface by G. K. Gilbert: U.S. Geological Survey Professional Paper 69, 135 p.
- (I,r) Taylor, H. P., 1967, The zoned ultramafic complexes of southeastern Alaska, in Wyllie, P. J., ed., Ultramafic and related rocks: New York, John Wiley and Sons, p. 97-121.
- (I,r) Taylor, H. P., Jr., and Noble, J. A., 1960, Origin of the ultramafic complexes in southeastern Alaska: International Geological Congress, 21st, Copenhagen, Denmark, 1960, part XIII, p. 175-187.
- (G) Taylor, P. T., and O'Neill, N. J., 1974, Results of an aeromagnetic survey in the Gulf of Alaska: Journal of Geophysical Research, v. 79, no. 5, p. 719-723.
- (E) Thorne, R. L., Muir, N. M., Erickson, A. W., Thomas, B. I., Heide, H. E., and Wright, W. S., 1948, Tungsten deposits in Alaska: U.S. Bureau of Mines Report of Investigations 4174, 51 p.
- (H) Tocher, Don, and Miller, D. J., 1959, Field observations on effects of Alaska earthquake of 10 July 1958: Science, v. 129, no. 3346, p. 394-395.
- (E,x) Traver, W. M., Jr., 1948, Mirror Harbor nickel deposits, Chichagof Island, Alaska: U.S. Bureau of Mines Report of Investigations 4168, 13 p.
- (S,d) Turner, D. L., Grybeck, Donald, and Wilson, F. H., 1975, Radiometric dates from Alaska—A 1975 compilation: Alaska Division of Geologic and Geophysical Surveys Special Report 10, 57 p.
- (H,x) Twenhofel, W. S., 1951, Geology of proposed Blue Lake dam site and tunnel near Sitka, Alaska: U.S. Geological Survey Circular 147, 4 p.
- (E,x) Twenhofel, W. S., 1953, Potential Alaskan mineral resources for proposed electrochemical and electrometallurgical industries in the upper Lynn Canal area, Alaska: U.S. Geological Survey Circular 252, 14 p.
- (E) Twenhofel, W. S., Reed, J. C., and Gates, G. O., 1949, Some mineral investigations in southeastern Alaska: U.S. Geological Survey Bulletin 963-A, p. 1-45.

- (T,r) Twenhofel, W. S., and Sainsbury, C. L., 1958, Fault patterns in southeastern Alaska: Geological Society of America Bulletin, v. 69, no. 11, p. 1431-1442.
- (E) U.S. Bureau of Mines, 1967, Production potential of known gold deposits in the United States: U.S. Bureau of Mines Information Circular 8331, 24 p.
- (E) U.S. Geological Survey, 1896, Becker party, in Report of the Director for the fiscal year ending June 30, 1896: U.S. Geological Survey 17th Annual Report, p. 56-59.
- (E) U.S. Geological Survey, 1899, Maps and descriptions of routes of exploration in Alaska in 1898, with general information concerning the Territory: U.S. Geological Survey Special Publication, 138 p.
- (S,d,x) U.S. Geological Survey, 1960, Geology of Admiralty Island, <u>in</u> Geological Survey research 1960, synopsis of geologic results: U.S. Geological Survey Professional Paper 400-A, p. A46.
- (A,d,x) U.S. Geological Survey, 1961, Southeastern Alaska, in Geological Survey research 1961, synopsis of geologic and hydrologic results: U.S. Geological Survey Professional Paper 424-A, p. A43.
- (S,x) U.S. Geological Survey, 1962, Southeastern Alaska, <u>in</u> Geological Survey research 1962, synopsis of geologic, hydrologic, and topographic results: U.S. Geological Survey Professional Paper 450-A, p. A53-A54.
- (A,x) U.S. Geological Survey, 1963, Southeastern Alaska, <u>in</u> Geological Survey research 1963, summary of investigations: U.S. Geological Survey Professional Paper 475-A, p. A103.
- (I,d) U.S. Geological Survey, 1964, K-Ar ages of minerals from syenite complex, in Geological Survey research 1964, Chapter A: U.S. Geological Survey Professional Paper 501-A, p. Al19.
- (I,d)
  U.S. Geological Survey, 1965, Igneous activity in the Chatham
  Strait area dated, in Geological Survey research 1965,
  Chapter A: U.S. Geological Survey Professional Paper 525-A,
  p. A104.
- (I,d) U.S. Geological Survey, 1966, Age of some ultramafic intrusions in southeastern Alaska, in Geological Survey research 1966, Chapter A: U.S. Geological Survey Professional Paper 550-A, p. A93.

- (T) U.S. Geological Survey, 1969, Possible 120-mile displacement along Chatham Strait Fault, in Geological Survey research 1969, Chapter A: U.S. Geological Survey Professional Paper 650-A, p. A53-A54.
- U.S. Geological Survey, 1970, Coast Range batholith and associated metamorphic rocks in the Port Houghton area, in Geological Survey research 1970, Chapter A: U.S. Geological Survey Professional Paper 700-A, p. A49.
- (H) U.S. Geological Survey, 1974, Engineering geology: Studies near coastal communities, in Geological Survey research 1974: U.S. Geological Survey Professional Paper 900, p. 185.
- (G,x) U.S. Geological Survey, 1979, Aeromagnetic map of Yakobi and Chichagof Islands, Alaska: U.S. Geological Survey Open-File Report 79-529, scale 1:250,000.
- (I) U.S. Geological Survey, 1980, Intrusive belts of southeastern Alaska, in Geological Survey research 1979: U.S. Geological Survey Professional Paper 1150, p. 99.
- (E,W,x) Union Carbide Corporation, Nuclear Division, 1981, Hydrogeochemical and stream sediment reconnaissance basic data for the Sitka quadrangle, Alaska: Grand Junction, Colorado, U.S. Department of Energy Report GJBX-344-81, 49 p.
- (G,T) Van der Voo, Rob, Jones, Meridee, Gromme, C. S., Eberlein, G. D., and Churkin, Michael, Jr., 1980, Paleozoic paleomagnetism and northward drift of the Alexander terrane, southeastern Alaska: Journal of Geophysical Research, v. 85, no. B10, p. 5281-5296.
- (E,x) Van Nieuwenhuyse, R. E., 1984, Geology and geochemistry of the Pyrola massive sulfide deposit, Admiralty Island, Alaska: Tucson, Arizona, University of Arizona, unpublished M.S. thesis, 170 p.
- (E,x) Walton, M. S., Jr., and Kennedy, G. C., 1945, Magnetic exploration of the nickel-copper deposits of Bohemia Basin, southeastern Alaska: Economic Geology, v. 40, no. 7, p. 496-502.
- (H,x) Wanek, A. A., and Callahan, J. E., 1969, Geology of proposed powersites at Deer Lake and Kasnyku Lake, Baranof Island, southeastern Alaska: U.S. Geological Survey Bulletin 1211-C, 25 p.
- Waring, G. A., 1917, Mineral springs of Alaska, with a chapter on The chemical character of some surface waters of Alaska, by R. B. Dole and A. A. Chambers: U.S. Geological Survey Water-Supply Paper 418, 118 p.

- (E) West, W. S., and Benson, P. D., 1955, Investigations for radioactive deposits in southeastern Alaska: U.S. Geological Survey Bulletin 1024-B, p. 25-57.
- (Z) White, D. E., and Williams, D. L., eds., 1975, Assessment of geothermal resources of the United States--1975: U.S. Geological Survey Circular 726, 155 p.
- (S,d) Wilson, F. H., and Turner, D. L., 1975, Radiometric age map of Alaska-southeastern Alaska: Alaska Division of Geological and Geophysical Surveys Open-File Report AOF-82, scale 1:1,000,000, 11 p.
- (S) Wolfe, J. A., 1966, Tertiary plants from the Cook Inlet region, Alaska: U.S. Geological Survey Professional Paper 398-B, p. B1-B32.
- (S) Wolfe, J. A., 1977, Paleogene floras from the Gulf of Alaska region: U.S. Geological Survey Professional Paper 997, 108
- (A,E,x) Wright, C. W., 1906, A reconnaissance of Admiralty Island: U.S. Geological Survey Bulletin 287, p. 138-161.
- (E) Wright, C. W., 1907, Lode mining in southeastern Alaska: U.S. Geological Survey Bulletin 314-C, p. 47-72.
- Wright, C. W., 1907, Nonmetalliferous mineral deposits of southeastern Alaska: U.S. Geological Survey Bulletin 314-C, p. 73-81.
- (E) Wright, C. W., 1908, Lode mining in southeastern Alaska, 1907: U.S. Geological Survey Bulletin 345-B, p. 78-97.
- (E) Wright, C. W., 1908, The building stones and materials of southeastern Alaska: U.S. Geological Survey Bulletin 345-B, p. 116-126.
- (E) Wright, C. W., 1909, Mining in southeastern Alaska: U.S. Geological Survey Bulletin 379-B, p. 67-86.
- (E) Wright, F. E., and Wright, C. W., 1905, Economic developments in southeastern Alaska: U.S. Geological Survey Bulletin 259, p. 47-68.
- (E) Wright, F. E., and Wright, C. W., 1906, Lode mining in southeastern Alaska: U.S. Geological Survey Bulletin 284, p. 30-54.

- (E) Wright, F. E., and Wright, C. W., 1908, The Ketchikan and Wrangell mining districts, Alaska: U.S. Geological Survey Bulletin 347, 210 p.
- (H) Yehle, L. A., 1974, Reconnaissance engineering geology of Sitka and vicinity, Alaska, with emphasis on evaluation of earthquake and other geologic hazards: U.S. Geological Survey Open-File Report 74-53, scale 1:9,600, 3 sheets, 104 p.
- (H,x) Yehle, L. A., 1974, Reconnaissance engineering geology of Sitka area, Alaska, <u>in</u> Carter, Claire, ed., 1974, United States Geological Survey Alaska Program, 1974: U.S. Geological Survey Circular 700, 63 p.
- (T) Zuffa, G. G., Nilsen, T. H., and Winkler, G. R., 1980, Rock fragment petrography of the Upper Cretaceous Chugach terrane, southern Alaska: U.S. Geological Survey Open-File Report 80-713, 30 p.